



October 22, 2010

Ms. Grissel V. Diaz-Cotto
Emergency and Remedial Response Division
United States Environmental Protection Agency
Region II
290 Broadway, 19th Floor
New York, NY 10007-1866

**Re: September 2010 Discharge Monitoring Report
Leachate Treatment Plant, Operable Unit 1
Kin-Buc Landfill Superfund Site**

Dear Ms. Diaz-Cotto:


Please find enclosed the September 2010 Discharge Monitoring Report (DMR) for the Leachate Treatment Plant of Operable Unit One at the Kin-Buc Landfill Superfund Site.

Weston & Sampson Services, Inc. would like to confirm the following:

- Please note that weekly effluent SVOC samples, collected on September 9, were analyzed beyond method-acceptable holding times due to laboratory error. Documentation from the laboratory detailing these errors has been included in this DMR package.
- The treatment plant operated well during the month of September.

Should you have any questions concerning this DMR or the Treatment Plant, please contact me at your earliest convenience at the Kin-Buc site.

Very truly yours,
Weston & Sampson Services, Inc., on behalf of SCA Services, Inc.


Glenn Grieb
Plant Manager

Enclosure

Cc: Martha Goodwin – NJDEP
Stephen Joyce – SC Holdings, Inc.
Carl Januszkiewicz – SC Holdings, Inc.
John A. Bocchino, Jr. – Weston & Sampson Services, Inc.

Massachusetts

Five Centennial Drive (HQ)
Peabody, MA 01960-7985
100 Foxborough Blvd., Suite 250
Foxborough, MA 02035
225 New Boston Street
Woburn, MA 01801
One Trowbridge Road, Suite 750
Bourne, MA 02532

Connecticut

273 Dividend Road
Rocky Hill, CT 06067

Rhode Island

477B Tiogue Avenue
Coventry, RI 02816

New Hampshire

100 International Drive
Suite 152
Portsmouth, NH 03801

Maine

PO Box 189
York, ME 03909

Vermont

96 South Main Street
Suite 2
Waterbury, VT 05676

New York

301 Manchester Road
Suite 201A
Poughkeepsie, NY 12603

Florida

1990 Main Street
Suite 750
Sarasota, FL 34236

307576





THE LEADER IN ENVIRONMENTAL TESTING

October 7, 2010

Mr. Glenn Grieb
Weston & Sampson Engineers
383 Meadow Road
Edison, NJ 08817

RE: September 2010 Kin-Buc Landfill Week 1 SVOC Analysis

Dear Mr. Grieb:

It came to my attention last week that the SVOC sample collected September 9, 2010, Eff Grab (460-17239-1), was never shipped to the TestAmerica Connecticut Lab for analysis by Method 625. The samples were received at TestAmerica Edison while I was on vacation and the project manager that reviewed the log-in did not notice that these samples should have been subcontracted. It was not until 9/30/10 that the CT SVOC department questioned the sample in transit. At that time, the sample was outside method holding time for extraction. The sample was shipped to our CT lab for analysis, which was performed outside of holding time.

We had previously set up a system where all analyst/prep backlogs were to show samples in transit. The analysts/prep personnel had been notified that they are to question samples in transit before holding times and due dates had expired to prevent similar issues from occurring. Unfortunately that system broke down as key personnel from both the Edison and CT labs were out during this time and backup personnel failed to notice the discrepancies.

As a corrective action, a Project Memo has been added to the master project file that will alert the project manager that the PAH samples for Weeks 1 & 2 are to be subcontracted to TestAmerica CT. I have also alerted the CT lab to expect these samples the first two weeks of every month and to contact me or the department manager should they not be received.

We apologize for the inconvenience that this may cause and we will make every effort to monitor future samples to other TestAmerica laboratories to verify sample receipt. Should you have any questions, please feel free to contact me at any time.

Sincerely,

TOM TANICO
Project Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

777 New Durham Road
Edison, NJ 08817
Tel 732.593.2555 | Fax 732.549.3679
www.testamericainc.com

NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER QUALITY

MONITORING REPORT - TRANSMITTAL SHEET

NJPDES NO.

--	--	--	--	--	--

 *NJ Permit Equivalent

REPORTING PERIOD

--	--	--	--

--	--	--	--

PERMITTEE: Name: SCA Services, Inc.
 Address: 383 Meadow Road
Edison, New Jersey 08817

FACILITY: Name: Kin-Buc Landfill
 Address: 383 Meadow Road
Edison, New Jersey 08817
 Telephone: 732-572-4743

FORMS ATTACHED (Indicate Quantity of Each)

Operating Exceptions

SLUDGE REPORT-SANITARY
 ___ T-VWX-007 ___ T-VWX-008 ___ T-VWX-009
 ___ EPA Form 3320-1

DYE TESTING YES NO
 ___ X

SLUDGE REPORT-INDUSTRIAL
 ___ T-VWX-010A ___ T-VWX-010B

TEMPORARY BYPASSING ___ X

DISINFECTION INTERRUPTION ___ X

WASTEWATER REPORTS
 ___ T-VWX-011 ___ T-VWX-012 ___ T-VWX-013

MONITORING MALFUNCTIONS ___ X

UNITS OF OPERATION ___ X

GROUNDWATER REPORTS
 ___ T-VWX-015(A,B) ___ T-VWX-016 ___ T-VWX-017
 ___ ELECTRONIC SUBMISSION

OTHER ___ X

NPDES DISCHARGE MONITORING
1 EPA Form 3320-1


(Detail any "Yes" on reverse side in appropriate space.)


NOTE: The "Hours Attended at Plant" on the reverse of this sheet must also be completed.

AUTHENTICATION I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

LICENSED OPERATOR

**PRINCIPAL EXECUTIVE OFFICER OR
DULY AUTHORIZED REPRESENTATIVE**

Name (Printed) Glenn Grieb
 Grade & Registry No. N-4 ; 0021212
 Signature 

Name (Printed) Glenn Grieb
 Title (Printed) Plant Operations Manager
 Signature 

Date **October 19, 2010**

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins or other markings on the paper.

MONTH **09** YEAR **10**

Others

[illegible]

PERMITTEE NAME/ADDRESS
NAME
ADDRESS

FACILITY
LOCATION

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT PERMIT NUMBER			001 DISCHARGE NUMBER		
MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
10	09	01	10	09	30

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.020944	0.032921	MGD	*****	*****	*****	***	***	continuous	flow meter
	PERMIT REQUIREMENT	REPORT	ONLY		*****	*****	*****			continuous	flow meter
pH	SAMPLE MEASUREMENT	*****	*****	***	6.98	*****	7.78	S.U.	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		6.0	*****	9.0			weekly	grab
PETROLEUM HYDROCARBONS	SAMPLE MEASUREMENT	*****	*****	***	*****	<0.584	<0.608	mg/l	0	2/month	grab
	PERMIT REQUIREMENT	*****	*****		*****	10	15			2/month	grab
COD	SAMPLE MEASUREMENT	16.15	16.84	kg/day	*****	168	184	mg/l	0	2/month	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT	ONLY			2/month	comp.
BOD	SAMPLE MEASUREMENT	*****	*****	***	*****	<4.83	4.92	mg/l	0	2/month	comp.
	PERMIT REQUIREMENT	*****	*****		*****	56	220			2/month	comp.
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT	1.13	1.58	kg/day	*****	10.35	15.60	mg/l	0	1/week	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	30	45(1)			weekly	comp.
DISSOLVED OXYGEN	SAMPLE MEASUREMENT	*****	*****	***	7.27	*****	*****	mg/l	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		4.0 MIN instantaneous	*****	*****			weekly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		10 10 19		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR MO DAY		

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)

PERMITTEE NAME/ADDRESS

NAME SCA SERVICES, INC.
ADDRESS 383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY KIN-BUC LANDFILL
LOCATION EDISON, NEW JERSEY
ATTN: CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001		
PERMIT NUMBER			DISCHARGE NUMBER		
MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
10	09	01	10	09	30

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BENZENE	SAMPLE MEASUREMENT	<0.0000174	<0.0000183	kg/day	*****	0.18	0.18	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.000	0.02		*****	57	134			2/month	grab
CHLOROBENZENE	SAMPLE MEASUREMENT	<0.0000212	<0.0000223	kg/day	*****	<0.22	<0.22	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.022	0.056		*****	142	390			2/month	grab
1,1 DICHLOROETHENE	SAMPLE MEASUREMENT	<0.0000188	<0.0000198	kg/day	*****	<0.20	<0.20	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.000	0.009		*****	22	59			2/month	grab
ETHYLBENZENE	SAMPLE MEASUREMENT	<0.0000227	<0.0000239	kg/day	*****	<0.24	<0.24	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.022	0.056		*****	142	390			2/month	grab
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000244	<0.0000254	kg/day	*****	<0.25	<0.26	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.000	0.025		*****	52	134			2/month	grab
TOLUENE	SAMPLE MEASUREMENT	<0.0000159	<0.0000167	kg/day	*****	<0.17	<0.17	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.011		*****	28	74			2/month	grab
1,2-TRANSDICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000179	<0.0000188	kg/day	*****	<0.19	<0.19	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.009		*****	26	60			2/month	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)				TELEPHONE		DATE			
Glenn Grieb Project Manager						732 572-4743		10 10 19			
TYPED OR PRINTED						SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE NUMBER		YEAR MO DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS
NAME
ADDRESS

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY
LOCATION
ATTN:

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
10	09	01		10	09	30

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TRICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000236	<0.0000249	kg/day	*****	<0.25	<0.25	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.010		*****	26	88				
VINYL CHLORIDE	SAMPLE MEASUREMENT	<0.0000258	<0.0000296	kg/day	*****	<0.24	<0.24	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.008	0.016		*****	52.8	108				
ACENAPHTHYLENE	SAMPLE MEASUREMENT	<0.0000485	<0.0000502	kg/day	*****	<0.50	<0.51	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43				
BENZO(A)ANTHRACENE	SAMPLE MEASUREMENT	<0.0000480	<0.0000497	kg/day	*****	<0.50	<0.51	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43				
BENZO(A)PYRENE	SAMPLE MEASUREMENT	<0.0000451	<0.0000467	kg/day	*****	<0.468	<0.475	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43				
BENZO(ghi)PERYLENE	SAMPLE MEASUREMENT	<0.0000420	<0.0000436	kg/day	*****	<0.435	<0.440	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43				
BENZO(k)FLUORANTHENE	SAMPLE MEASUREMENT	<0.0000444	<0.0000462	kg/day	*****	<0.460	<0.465	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43				
NAME/TITLE: PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE	
Glenn Grieb Project Manager								732	572-4743	10	10
TYPED OR PRINTED						AREA CODE		NUMBER		YEAR MO DAY	

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)
<0.00017

PERMITTEE NAME/ADDRESS
NAME
ADDRESS

FACILITY
LOCATION
ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001				
PERMIT NUMBER			DISCHARGE NUMBER				
MONITORING PERIOD							
YEAR	MO	DAY	TO		YEAR	MO	DAY
10	09	01			10	09	30

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
IDENO(1,2,3cd) PYRENE	SAMPLE MEASUREMENT	<0.0000441	<0.0000457	kg/day	*****	<0.458	<0.465	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.48			monthly	grab
PHENANTHRENE	SAMPLE MEASUREMENT	<0.0001530	<0.0002654	kg/day	*****	<1.336	<2.185	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	5.4(2)			weekly	grab
ALDRIN	SAMPLE MEASUREMENT	<0.0000008	<0.0000010	kg/day	*****	<0.008	<0.010	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.000133	0.00026		*****	0.0875	0.178			monthly	grab
4,4-DDT	SAMPLE MEASUREMENT	<0.0000008	<0.0000009	kg/day	*****	<0.007	<0.008	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.0000578	0.000148		*****	0.38	0.765			weekly	grab
PCB-1242	SAMPLE MEASUREMENT	<0.0000173	<0.0000188	kg/day	*****	<0.16	<0.17	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
PCB-1248	SAMPLE MEASUREMENT	<0.0000189	<0.0000217	kg/day	*****	<0.18	<0.19	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
PCB-1254	SAMPLE MEASUREMENT	<0.0000133	<0.0000211	kg/day	*****	<0.13	<0.23	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		10 10 19		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR MO DAY		

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)

PERMITTEE NAME/ADDRESS
NAME
ADDRESS

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY
LOCATION
ATTN:

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
10	09	01		10	09	30

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PCB-1260	SAMPLE MEASUREMENT	<0.0000231	<0.0000260	kg/day	*****	<0.22	<0.22	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
ARSENIC	SAMPLE MEASUREMENT	0.0008085	0.0010303	kg/day	*****	7.70	10.20	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.015	0.026		*****	85.8	172			weekly	comp
CADMIUM	SAMPLE MEASUREMENT	<0.0000842	<0.0000717	kg/day	*****	0.6	0.6	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.0073	0.017		*****	46.2	112			weekly	comp
CHROMIUM	SAMPLE MEASUREMENT	0.0004139	0.0004630	kg/day	*****	3.85	4.10	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.030	0.060		*****	198	396			weekly	comp
COPPER	SAMPLE MEASUREMENT	0.0005081	0.0008703	kg/day	*****	4.6	7.1	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp
LEAD	SAMPLE MEASUREMENT	0.0002582	0.0003395	kg/day	*****	2.40	3.10	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp
NICKEL	SAMPLE MEASUREMENT	0.0037152	0.0043147	kg/day	*****	34.4	35.6	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.140	0.261		*****	924	1850			weekly	comp
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		10 10 19		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	DAY
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS
NAME
ADDRESS

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY
LOCATION
ATTN:

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
10	09	01		10	09	30

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
ZINC	SAMPLE MEASUREMENT	0.0009402	0.0011543	kg/day	*****	8.7	9.4	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.177	0.358		*****	1170	2350			weekly	comp
CYANIDE	SAMPLE MEASUREMENT	<0.0007092	<0.0009125	kg/day	*****	<8.7	<8.0	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.002	0.004		*****	13.2	26.4			weekly	comp
ALUMINUM	SAMPLE MEASUREMENT	0.0215102	0.0415155	kg/day	*****	202.0	409.0	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	1.40	2.81		*****	9240	18500			weekly	comp
IRON	SAMPLE MEASUREMENT	0.00203442	0.0431471	kg/day	*****	180.8	349.5	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	89.6	192		*****	532000	1670900			weekly	comp
ACUTE TOXICITY, (LC50)	SAMPLE MEASUREMENT	QUARTELY	REPORT	***	>100%	*****	*****	%	0		
	PERMIT REQUIREMENT	*****	*****		50(3)	*****	*****			see permit	equivalent
Ammonia	SAMPLE MEASUREMENT	*****	*****	***	*****	0.238	0.285	mg/l	0	*****	*****
	PERMIT REQUIREMENT	*****	*****		*****	4.9	10.0			2/month	comp
	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	*****	***	***	*****	*****
	PERMIT REQUIREMENT	*****	*****		*****	*****	*****			*****	*****
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		10 10 19		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	DAY
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									